

**Profec Construction and
industrial hose
EPDM/polyester 75 mm Storz
CD 89 10bar white 10m type
75B (0503013)**



TECHNICAL SPECIFICATIONS

| | |
|-------------------|----------------|
| Colour | white |
| Material | EPDM/polyester |
| Connection | Storz |
| Temperature range | -20°C - 80°C |
| Pressure | 10 bar |
| Type | 75B |
| Coping distance | 89 CD |
| Size | 75 mm |
| Length | 10 m |
| Inner ø | 75 mm |
| Wall thickness | 1,25 mm |

DIMENSIONS

| | |
|---|-----|
| D | 2 " |
|---|-----|

PRODUCT INFORMATION

Profec Construction and industrial hose fitted with Storz couplers is commonly used in industries and for construction purposes. This flat hose has an EPDM inner layer and an anti-abrasive polyester outer layer. The hose has a maximum working pressure of 10 bar at a temperature of 80 degrees. This flat hose is available from 52 to 100mm with matching aluminium Storz coupling and in roll lengths in a range of 5 meters to 30 meters.

Last modified date: 05/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>