

NaanDan Drip irrigation hose
PE 16 mm x 1,2 mm 47mil 4bar
130micron 2,2ltr/h 33cm
brown 100m type TurfDrip CNL
(7030184)



NaanDan
by Rivulis

TECHNICAL SPECIFICATIONS

Colour	brown
--------	-------

Type	TurfDrip CNL
------	--------------

Material	PE
----------	----

Filtration	130 micron
------------	------------

Length	100 m
--------	-------

Opening pressure	0,5 bar
------------------	---------

Pressure	4 bar
----------	-------

Rec. press.	0,5 - 4 bar
-------------	-------------

Wall thickness	47 mil
----------------	--------

Wall thickness	1,2 mm
----------------	--------

Flow	2,2 ltr/h
------	-----------

Size	16 mm
------	-------

Inner ø	13,6 mm
---------	---------

Max. Length	102 m
-------------	-------

Dripper spacing	33 cm
-----------------	-------

PRODUCT INFORMATION

The NaanDan TurfDrip with Amnon CNL dripper is ideal for commercial drip irrigation with big differences in elevation.

CNL stands for Compensated Non Leakage which means that all the drippers will open and close at the same time, therefore every dripper will give the same amount of water.

The TurfDrip special material gives it additional flexibility in order to avoid kinks in the coils before and during installation.

Brown coils come packed in plastic foil which allows you to save any remaining drip hose in its original packaging.

Opening Pressure: 1.0 bar.

Closing Pressure: 0.2 bar.

Pressure Regulating Range: 1.0 - 4.0 bar.

Recommended Filtration: 130 micron.

Last modified date: 08/11/2025

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>