

# Profec Ball valve PP 40 mm compression 10bar DN32 black type Safe 500 (0707353)



# TECHNICAL SPECIFICATIONS

|        |       |
|--------|-------|
| Colour | black |
|--------|-------|

|      |          |
|------|----------|
| Type | Safe 500 |
|------|----------|

|          |    |
|----------|----|
| Material | PP |
|----------|----|

|           |       |
|-----------|-------|
| Operation | lever |
|-----------|-------|

|              |     |
|--------------|-----|
| Colour lever | red |
|--------------|-----|

|                 |       |
|-----------------|-------|
| Handle material | PVC-U |
|-----------------|-------|

|                      |        |
|----------------------|--------|
| Housing construction | 3-part |
|----------------------|--------|

|                  |    |
|------------------|----|
| Material housing | PP |
|------------------|----|

|               |             |
|---------------|-------------|
| Material seal | hytrel/EPDM |
|---------------|-------------|

|            |             |
|------------|-------------|
| Connection | compression |
|------------|-------------|

|                  |       |
|------------------|-------|
| Max. temperature | 60 °C |
|------------------|-------|

Minimum medium temperature 0 °C  
(continuous)

|          |        |
|----------|--------|
| Pressure | 10 bar |
|----------|--------|

|      |       |
|------|-------|
| Size | 40 mm |
|------|-------|

|    |    |
|----|----|
| DN | 32 |
|----|----|

# DIMENSIONS

Lb 238 mm


ØDi-1 40 mm

ØDi-2 40 mm

Ct-1 92 mm

R 64 mm

ØDf 32 mm



## PRODUCT INFORMATION

With secure ball.

**Last modified date: 05/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>