


**Itap Ball valve brass nickel
plated 3/4" female thread 5bar
DN20 DVGW type 068
(0401153)**



TECHNICAL SPECIFICATIONS

Type	068
------	-----

Material	brass
----------	-------

Surface treatment	nickel plated
-------------------	---------------

Approval	DVGW
----------	------

Operation	butterfly handle
-----------	------------------

Colour lever	yellow
--------------	--------

Handle material	aluminium
-----------------	-----------

Housing construction	2-part
----------------------	--------

Ball material	hard chrome plated brass
---------------	--------------------------

Material housing	brass
------------------	-------

Material seal	PTFE
---------------	------

Connection	female thread
------------	---------------

Max. temperature	60 °C
------------------	-------

Minimum medium temperature -10 °C
(continuous)

Flow	full
------	------

Pressure	5 bar
----------	-------

Size	3/4"
------	------

DN	20
----	----

DIMENSIONS

Lb	68 mm
----	-------

ØDi-1	3/4 "
-------	-------

ØDi-2	3/4 "
-------	-------


F-1	16.3 mm
-----	---------

F-2	16.3 mm
-----	---------

Ct-1	46.8 mm
------	---------

R	31 mm
---	-------

ØDf	20 mm
-----	-------



Last modified date: 04/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>