

**Profec Ultrasonic water meter
stainless steel 304 DN125 DIN
flange 16bar 3.6V Li-battery
blue CE/MID type Class 2
(7038813)**



TECHNICAL SPECIFICATIONS

Colour	blue
Type	Class 2
Material	stainless steel 304
Approval	CE/MID
Connection	DIN flange
Pulse	100 ltr
Max. reading	99999999.99999 m ³ /h
Connectivity	2-wire Mbus output
Length	250 mm
Min. temp.	0.1 °C
Voltage	3.6V Li-battery
Width	250 mm
Pressure	16 bar
IP value	IP68
Max. temp.	50 °C
Material flange	carbon steel
Size	DN125

Q1 ISO 4064 (2005)	0.64 m ³ /h
--------------------	------------------------

Q3 ISO 4064 (2005)	160 m ³ /h
--------------------	-----------------------

Q4 ISO 4064 (2005)	200 m ³ /h
--------------------	-----------------------

DIMENSIONS

H	380 mm
---	--------

Install. length	250
-----------------	-----

PRODUCT INFORMATION

Ultrasonic water meter with 10 year lifetime battery, IP68 Class 2, PN16 and CE/MID approval and M-bus output.

Last modified date: 26/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>