

Seko Automatic dosing system 1.5bar type PoolDose Panel pH-ORP-CL (7042375)



seko

TECHNICAL SPECIFICATIONS

| | |
|------|--------------------------|
| Type | PoolDose Panel pH-ORP-CL |
|------|--------------------------|

| | |
|------------|-----------|
| Flow range | 1.5 ltr/h |
|------------|-----------|

| | |
|----------|---------|
| Pressure | 1.5 bar |
|----------|---------|

| | |
|----------------|--------------------|
| Max. pool vol. | 110 m ³ |
|----------------|--------------------|

PRODUCT INFORMATION

PoolDose Panel is a user-friendly solution for the simple, hassle-free management of residential swimming pools up to 130 m³. Combining high[1]quality products assembled within a minimal footprint, the PoolDose Panel provides flexibility and fast installation courtesy of a carefully designed layout. This fully integrated system requires no technical skill to use and makes setting parameters easier than ever before, while a multi-language menu and remote alarm relay further simplify operation. This PoolDose Panel model comes complete with a PSS-plexi probe holder, washable cartridge filter and PoolDose pH-ORP-chlorine peristaltic dosing unit.

Feature:

- 1.5 l/h, 1.5bar
- Parameters : pH (0 – 14), ORP (0 – 1,000mV) and free chlorine (0 – 5 ppm)
- Wi-Fi module enables pool management via SekoWeb
- Internal relay enables chlorine generator management
- Water meter flow rate input totalises swimming pool water changes
- Chlorine amperometric probe includes high-grade insulation
- pH and chlorine relay enable extra dosing
- Proportional dosing TWM (time width modulation) mode
- Suitable for indoor pools 5-130m³ and outdoor pools 5-110m³

Last modified date: 09/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>