

**NaanDan Mist sprinkler plastic  
3/8WW male thread 130micron  
1,1 mm 360° red type Hadar  
7110, mist insert (0610051)**



**NaanDan**  
by Rivulis

# TECHNICAL SPECIFICATIONS

|      |                         |
|------|-------------------------|
| Type | Hadar 7110, mist insert |
|------|-------------------------|

|          |         |
|----------|---------|
| Material | plastic |
|----------|---------|

|            |             |
|------------|-------------|
| Connection | male thread |
|------------|-------------|

|                   |      |
|-------------------|------|
| Sector adj. range | 360° |
|-------------------|------|

|             |             |
|-------------|-------------|
| Rec. press. | 2,5 - 4 bar |
|-------------|-------------|

|        |     |
|--------|-----|
| Colour | red |
|--------|-----|

|            |            |
|------------|------------|
| Filtration | 130 micron |
|------------|------------|

|            |          |
|------------|----------|
| Filtration | 120 mesh |
|------------|----------|

|                |        |
|----------------|--------|
| Capacity 2 bar | 61 l/h |
|----------------|--------|

|               |        |
|---------------|--------|
| Capacity 1bar | 43 l/h |
|---------------|--------|

|                 |        |
|-----------------|--------|
| Capacity 1,5bar | 53 l/h |
|-----------------|--------|

|               |        |
|---------------|--------|
| Capacity 3bar | 73 l/h |
|---------------|--------|

|      |       |
|------|-------|
| Size | 3/8WW |
|------|-------|

|           |         |
|-----------|---------|
| Packaging | 500 pcs |
|-----------|---------|

|              |       |
|--------------|-------|
| Max diameter | 2.4 m |
|--------------|-------|

|             |        |
|-------------|--------|
| Nozzle size | 1,1 mm |
|-------------|--------|

| 0610050 |     | 0610051 |     | 0610052 |     | 0610054 |     | 0610055 |     | 0610056 |     |
|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|
| 0.8mm   |     | 1.1mm   |     | 1.3mm   |     | 1.6mm   |     | 1.8mm   |     | 2.0mm   |     |
| Bar     | l/h | Bar     | l/h | Bar     | l/h | Bar     | l/h | Bar     | l/h | Bar     | l/h |
| 1.0     | 23  | 1.0     | 43  | 1.0     | 60  | 1.0     | 88  | 1.0     | 116 | 1.0     | 138 |
| 1.5     | 29  | 1.5     | 53  | 1.5     | 74  | 1.5     | 110 | 1.5     | 140 | 1.5     | 171 |
| 2.0     | 33  | 2.0     | 61  | 2.0     | 87  | 2.0     | 128 | 2.0     | 166 | 2.0     | 199 |
| 2.5     | 37  | 2.5     | 67  | 2.5     | 97  | 2.5     | 144 | 2.5     | 184 | 2.5     | 224 |
| 3.0     | 41  | 3.0     | 73  | 3.0     | 107 | 3.0     | 159 | 3.0     | 197 | 3.0     | 248 |

# PRODUCT INFORMATION

Complete with bayonet base.

**Last modified date: 12/02/2026**

Bosta UK Ltd.  
 Reflection House  
 Olding Road  
 Bury St. Edmunds  
 Suffolk  
 IP33 3TA  
 T +44 (0) 1284 716580  
 E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>

