


**VIR Ball valve brass chrome
plated 1/4" female thread x
male thread 40bar WRAS/VA
type K343F (0401330)**



TECHNICAL SPECIFICATIONS

Type	K343F
Material	brass
Surface treatment	chrome plated
Approval	WRAS/VA
Operation	butterfly handle
Colour lever	red
Handle material	aluminium
Housing construction	2-part
Ball material	hard chrome plated brass
Material housing	brass
Material seal	PTFE
Connection	female thread x male thread
Max. temperature	150 °C
Minimum medium temperature 0 °C (continuous)	
Flow	full
Temperature range	0°C - 150°C

Pressure	40 bar
----------	--------

Size	1/4"
------	------

DIMENSIONS

Handle height	32
---------------	----

Lb	47 mm
----	-------

ØDi-1	1/4 "
-------	-------

ØDo-2	1/4 "
-------	-------


F-1	10 mm
-----	-------

F-2	9 mm
-----	------

Ct-1	32 mm
------	-------

R	22 mm
---	-------

ØDf	10 mm
-----	-------



Last modified date: 04/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>