

**Foras Centrifugal pump cast  
iron 2" x 1 1/4" female thread  
11bar 15A 400/690VAC blue  
type KB 750 T (0920279)**



# TECHNICAL SPECIFICATIONS

Colour blue

Material cast iron

Material impeller 1 noryl

Connection female thread

Max. temperature 90 °C

Minimum medium temperature 0 °C  
(continuous)

Maximum ambient temperature 40 °C

Minimum ambient temperature 0 °C

Type KB 750 T

Output Power 7,5 HP

Size 2" x 1 1/4"

Seal type H

Length 605 mm

Voltage 400/690VAC

Width 275 mm

Weight 78 kg

Power	5.5 kW
MWC	77
Max flow rate	30 m <sup>3</sup> /h
Press	1 1/4 "
Suction	2 "
BEP Capacity	20
BEP Head	59
Efficiency	57 %
Packaging dimensions L/W/H	675 x 300 x 390 mm



## DIMENSIONS

H	330 mm
L	605 mm
H-1	330 mm
W-1	275 mm
ØDi-1	2 "
ØDi-2	1 1/4 "
O	14 mm
Cb-1	135 mm

G-1 212 mm

Cl-1 95.5 mm

Mr 145 mm



## PRODUCT INFORMATION

Sealed motor protection class F.  
Water temperature 90°C.  
Supplied without cable.

**Last modified date: 12/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>