

# **Norsup Cartridge filter HDPE 2" imperial glue socket 3.5bar grey type ICF330 (7034327)**




NORSUP

# TECHNICAL SPECIFICATIONS

Colour	grey
Material	HDPE
Connection	imperial glue socket
Pressure	3.5 bar
Max. temp.	40 °C
Type	ICF330
Capacity	28,1 m <sup>3</sup> /h
Size	2"
Weight	32 kg
Filter area	30.7 m <sup>2</sup>
Max. pool vol.	150 m <sup>3</sup>

# DIMENSIONS

A	886 mm
B	556 mm
C	317.5 mm
D	444.5 mm



## PRODUCT INFORMATION

The Norsup multi-element cartridge filter utilises the latest cartridge filter technology and is constructed with non-corroding, durable material. The filter contains a large filter area, high flow capacity tank and multiple filter elements which provides an unrivalled level of hydraulic debris-catching performance. You can also save precious pool water as the filter does not need to be backwashed.

### Features:

- Large flow air relief valve
- Pressure gauge included
- Detachable, easy grip handle
- UV resistant tank with max temperature resistance of 40°C
- 3-way clamp kit allows easy access inside the filter for cleaning & cartridge replacement

- 1.5" bottom drain plug allowing efficient winterisation & simple cleaning & rinsing with a standard garden hose
- Multiple elements provide greater surface area to catch debris keeping pool maintenance to a minimum
- Water saving design with no backwash required
- Ideal in combination with Multicyclone or Norsup UV-C
- 10 years tank warranty

## Last modified date: 09/11/2025

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>