


**Profec Adaptor bush  
PE100/brass nickel plated 110  
mm x 4" electrofusion socket x  
male thread SDR7,4 40VAC  
16bar 25bar black DVGW  
(7025423)**



# TECHNICAL SPECIFICATIONS

|                 |                                    |
|-----------------|------------------------------------|
| Colour          | black                              |
| Material        | PE100/brass                        |
| Approval        | DVGW                               |
| Connection      | electrofusion socket x male thread |
| Class           | SDR7,4                             |
| Pressure, gas   | 16 bar                             |
| Pressure, water | 25 bar                             |
| Size            | 110 mm x 4"                        |
| Length          | 204 mm                             |
| Voltage         | 40VAC                              |
| Weight          | 3.11 kg                            |
| Spanner         | 125                                |

## PRODUCT INFORMATION

Transition fitting suitable for the connection of PE pipes and fittings with threaded fittings or valves. Complete with 4 mm electrical connector, welding indicator and barcode reader.

**Last modified date: 09/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>