


# Blue Lagoon UV-C disinfection unit 50-63 mm x 1 1/2" glue socket x female thread 2.5bar type Tech UV-C 4ALL 40 W (7038496)



**Blue lagoon**  
UV-C and Pool equipment

# TECHNICAL SPECIFICATIONS

Capacity Qmax	23 m <sup>3</sup> /h
Connection	glue socket x female thread
Pressure	2.5 bar
Type	Tech UV-C 4ALL 40 W
Flow rate	11 30mJ/cm <sup>2</sup>
Size	50-63 mm x 1 1/2"
Power	40 W



# PRODUCT INFORMATION

The Blue lagoon Tech UV-C 4ALL is a perfect solution for installations where space is limited. It is suitable for both salt-water (electrolysis) pools and chlorinated pools. Next to the highly corrosion resistant DUPLEX stainless steel housing, the Blue Lagoon Tech UV-C 4ALL is designed to provide an environmentally friendly solution for your swimming pool water disinfection needs.

Features:

- DUPLEX housing, suitable for both, salt-water (electrolysis) and chlorinated pools
- A built-in electronic ballast to ensure a smooth power supply
- Up to 35% more UV-C yield as a result of reflection by the DUPLEX interior
- Multiple installation options for easy installation
- Comes with Ø63mm to Ø50mm fittings, and 1½" female threaded inserts

**Last modified date: 26/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>