

# Backing flange steel galvanised 8" type MZ square (0200636)



# TECHNICAL SPECIFICATIONS

|      |           |
|------|-----------|
| Type | MZ square |
|------|-----------|

|          |       |
|----------|-------|
| Material | steel |
|----------|-------|

|                   |            |
|-------------------|------------|
| Surface treatment | galvanised |
|-------------------|------------|

|           |       |
|-----------|-------|
| Bolt hole | 13 mm |
|-----------|-------|

|       |   |
|-------|---|
| Holes | 4 |
|-------|---|

|      |    |
|------|----|
| Size | 8" |
|------|----|

|         |        |
|---------|--------|
| Inner ø | 202 mm |
|---------|--------|

|           |      |
|-----------|------|
| Thickness | 8 mm |
|-----------|------|

|                        |           |
|------------------------|-----------|
| Outer dimension flange | 228 x 228 |
|------------------------|-----------|

## DIMENSIONS

|     |        |
|-----|--------|
| G-2 | 180 mm |
|-----|--------|

|              |              |
|--------------|--------------|
| Hole spacing | 180 x 180 mm |
|--------------|--------------|

|   |      |
|---|------|
| T | 8 mm |
|---|------|

|    |        |
|----|--------|
| Lb | 228 mm |
|----|--------|

|       |        |
|-------|--------|
| ØDi-1 | 202 mm |
|-------|--------|


|   |       |
|---|-------|
| O | 13 mm |
|---|-------|

G-1

180 mm

Lb-2

228 mm



## PRODUCT INFORMATION

Elevate your industrial processes with this Backing Flange Type MZ Square. Precision-engineered for seamless integration, it guarantees leak-free connections, reducing downtime and costs. Versatile compatibility meets rigorous testing, ensuring dependable performance even in challenging environments. Minimize disruptions, enhance efficiency, and cut maintenance expenses. Trusted by industry leaders, this flange optimizes performance across applications.

**Last modified date: 05/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)

