

**VIR Ball valve brass chrome
plated 1 1/4" female thread x
male thread 40bar WRAS/VA
type K343 (0401426)**



TECHNICAL SPECIFICATIONS

Type	K343
------	------

Material	brass
----------	-------

Surface treatment	chrome plated
-------------------	---------------

Approval	WRAS/VA
----------	---------

Operation	lever
-----------	-------

Colour lever	red
--------------	-----

Handle material	dacromet steel
-----------------	----------------

Housing construction	2-part
----------------------	--------

Ball material	hard chrome plated brass
---------------	--------------------------

Material housing	brass
------------------	-------

Material seal	PTFE
---------------	------

Connection	female thread x male thread
------------	-----------------------------

Max. temperature	150 °C
------------------	--------

Minimum medium temperature 0 °C
(continuous)

Flow	full
------	------

Temperature range	0°C - 150°C
-------------------	-------------

Pressure 40 bar

Size 1 1/4"

DIMENSIONS

Handle height 71

Lb 91 mm

ØDi-1 1 1/4 "

ØDo-2 1 1/4 "


F-1 16 mm

F-2 18 mm

Ct-1 71 mm

R 126.5 mm

ØDf 32 mm



Last modified date: 04/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>