


**Profec Ultrasonic water meter
stainless steel 304 DN80 DIN
flange 16bar 3.6V Li-battery
grey CE/MID type Class 2
(7038811)**



TECHNICAL SPECIFICATIONS

Colour	grey
Type	Class 2
Material	stainless steel 304
Approval	CE/MID
Material flange	ductile iron
Connection	DIN flange
Pulse	10 ltr
Max. reading	99999999.99999 m ³ /h
Connectivity	2-wire Mbus output
Min. temp.	0.1 °C
Voltage	3.6V Li-battery
Pressure	16 bar
IP value	IP68
Max. temp.	50 °C
Size	DN80
Q1 ISO 4064 (2005)	0.1575 m ³ /h
Q3 ISO 4064 (2005)	63 m ³ /h

Q4 ISO 4064 (2005)	78.25 m ³ /h
--------------------	-------------------------

Length	225 mm
--------	--------

Width	205 mm
-------	--------

DIMENSIONS

H	280 mm
---	--------

Install. length	225
-----------------	-----

PRODUCT INFORMATION

Ultrasonic water meter with 10 year lifetime battery, IP68 Class 2, PN16 and CE/MID approval and M-bus output.

Last modified date: 26/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>