


**Profec Ultrasonic water meter
stainless steel 304 DN50 DIN
flange 16bar 3.6V Li-battery
grey CE/MID type Class 2
(7038809)**



TECHNICAL SPECIFICATIONS

Colour	grey
Type	Class 2
Material	stainless steel 304
Approval	CE/MID
Material flange	ductile iron
Connection	DIN flange
Pulse	10 ltr
Max. reading	99999999.99999 m ³ /h
Connectivity	2-wire Mbus output
Min. temp.	0.1 °C
Voltage	3.6V Li-battery
Pressure	16 bar
IP value	IP68
Max. temp.	50 °C
Size	DN50
Q1 ISO 4064 (2005)	0.0625 m ³ /h
Q3 ISO 4064 (2005)	25 m ³ /h

Q4 ISO 4064 (2005)	31.25 m ³ /h
--------------------	-------------------------

Length	200 mm
--------	--------

Width	172 mm
-------	--------

DIMENSIONS

H	240 mm
---	--------

Install. length	200
-----------------	-----

PRODUCT INFORMATION

Ultrasonic water meter with 10 year lifetime battery, IP68 Class 2, PN16 and CE/MID approval and M-bus output.

Last modified date: 26/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>