

# DAB Submersible pump technopolymer 1 1/4" female thread 1,6A 230VAC green type NOVA 300 M-A with float switch (0940021)



# TECHNICAL SPECIFICATIONS

|                            |                      |
|----------------------------|----------------------|
| Colour                     | green                |
| Material                   | technopolymer        |
| Pump body                  | technopolymer        |
| Material impeller 1        | technopolymer        |
| Connection                 | female thread        |
| Voltage                    | 230VAC               |
| Max. temperature           | 35 °C                |
| Minimum medium temperature | 0 °C<br>(continuous) |
| Press                      | 1 1/4 "              |
| Type                       | NOVA 300 M-A         |
| Output Power               | 0,3 HP               |
| Max. head                  | 6,8 m                |
| Size                       | 1 1/4"               |
| Float                      | included             |
| Power                      | 0.22 kW              |
| Ampere                     | 1,6 A                |

Max flow rate

12 m<sup>3</sup>/h

## DIMENSIONS

Db

181 mm

H-1


47 mm

H-2

354 mm

ØDi-1

1 1/4 "



## PRODUCT INFORMATION

The types NOVA 300 and 600 are the ideal pumps for pumping out basements. May be used for water with granular hard parts up to 8 mm.

**Last modified date: 12/06/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>