# Jet pump cast iron 1" female thread 3,2A 230VAC blue type Jet 100 A (7031126)

bosta
bringing water to life

# TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Colour | blue |
| Type | Jet 100 A |
| Material | cast iron |
| Pump body | cast iron |
| Material impeller 1 | noryl |
| Connection | female thread |
| Voltage | 230VAC |
| Max. temperature | 40 °C |
| Power | 1.1 kW |
| MWC | 50 |
| Ampere | 3,2 A |
| Max flow rate | 3.6 $m^3/h$ |
| Press | 1 " |
| Maximum ambient temperature | 40 °C |
| Suction | 1 " |
| Size | 1" |
| BEP Capacity | 2.4 |

| | |
|---|---|
| BEP Head | 30 |
| PORlh | 0.55 |
| PORhh | 50 |
| PORlq | 0.3 |
| PORhq | 3.6 |

# DIMENSIONS

| | |
|---|---|
| L | 390 mm |
| H | 200 mm |
| W | 180 mm |
| L | 375 mm |
| W-1 | 180 mm |
| ØDi-1 | 1 " |
| ØDi-2 | 1 " |
| O | 10 mm |
| Cb-1 | 147 mm |
| G-1 | 135 mm |
| Cl-1 | 90 mm |
| Mr | 220 mm |

| | |
|---|---|
| H | 200 mm |







# PRODUCT INFORMATION

Single-stage self-priming centrifugal surface pump equipped with the Venturi tube system for increased suction capacity, designed for pumping of clean cold water from own intakes and for increasing pressure. The pump body is made of durable cast iron, and the pump motor is provided with thermal protection. The pump has a power cable with a plug. Application: Supply of water to houses, holiday houses, allotments and gardens. When combined with pressure tanks, the pumps can be used for single- and multi-family residential housing, in industrial applications and for irrigation purposes.

## Last modified date: 08/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com