

# Profec Backing ring PVC-U 400 mm 6bar DN375 grey PN10 (0110971)



# TECHNICAL SPECIFICATIONS

|        |      |
|--------|------|
| Colour | grey |
|--------|------|

|          |       |
|----------|-------|
| Material | PVC-U |
|----------|-------|

|              |         |
|--------------|---------|
| Suitable for | 0110915 |
|--------------|---------|

|              |  |
|--------------|--|
| Suitable for |  |
|--------------|--|

|      |        |
|------|--------|
| Size | 400 mm |
|------|--------|

|      |         |
|------|---------|
| Bolt | M20x180 |
|------|---------|

|           |       |
|-----------|-------|
| Packaging | 1 pcs |
|-----------|-------|

|    |     |
|----|-----|
| DN | 375 |
|----|-----|

|         |        |
|---------|--------|
| Inner ø | 438 mm |
|---------|--------|

|        |      |
|--------|------|
| Flange | PN10 |
|--------|------|

|         |        |
|---------|--------|
| Outer ø | 565 mm |
|---------|--------|

|        |         |
|--------|---------|
| Weight | 3.98 kg |
|--------|---------|

|           |       |
|-----------|-------|
| Thickness | 42 mm |
|-----------|-------|

|          |       |
|----------|-------|
| Pressure | 6 bar |
|----------|-------|

|           |       |
|-----------|-------|
| Bolt hole | 26 mm |
|-----------|-------|

|       |    |
|-------|----|
| Holes | 16 |
|-------|----|

# DIMENSIONS

|       |        |
|-------|--------|
| ØDi-1 | 438 mm |
|-------|--------|

|     |        |
|-----|--------|
| PCD | 515 mm |
|-----|--------|

|   |       |
|---|-------|
| O | 26 mm |
|---|-------|

|    |        |
|----|--------|
| Db | 565 mm |
|----|--------|

**Last modified date: 30/10/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>

