


**Electric ball valve brass nickel  
plated 1 1/4" female thread  
40bar 230VAC with 2 end  
switches (0412488)**



# TECHNICAL SPECIFICATIONS

|                      |                          |
|----------------------|--------------------------|
| Material             | brass                    |
| Surface treatment    | nickel plated            |
| Operation            | actuator 230V            |
| Housing construction | 2-part                   |
| Ball material        | hard chrome plated brass |
| Material housing     | brass                    |
| Material seal        | PTFE                     |
| Feature              | with 2 end switches      |
| Connection           | female thread            |
| Voltage              | 230VAC                   |
| DIN Standard         | DIN 43650                |
| Flow                 | full                     |
| Temperature range    | -10°C - 55°C             |
| Adjustable angle     | 0-90 °                   |
| Switching time       | 13 sec.                  |
| Size                 | 1 1/4"                   |
| Power                | 15 W                     |

Pressure

40 bar

**Last modified date: 04/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>