

# Rain Bird Pop-up sprinkler plastic 3/4" female thread 40°- 360° black type 5004-PC-R (7021631)



**RAIN BIRD**

# TECHNICAL SPECIFICATIONS

Colour	black
Material	plastic
Capacity	3 - 36,6 l/min
Connection	female thread
Angle	13/25 °
Max diameter	30.4 m
Radius	7,6 - 15,2 m
Radius 4bar	10,6 - 15,2 m
Rec. press.	1.7 - 4.5 bar
Type	5004-PC-R
Capacity 2.5bar	0,31-1,63 m <sup>3</sup> /h
Capacity 2bar	0,28-1,45 m <sup>3</sup> /h
Capacity 3bar	0,34-1,79 m <sup>3</sup> /h
Capacity 4bar	0,40-2,06 m <sup>3</sup> /h
Size	3/4"
Sector adj. range	40°-360°
Riser height	10 cm

Type 5000 13°											
Nr. 1			Nr. 1,5			Nr. 2			Nr. 3		
Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R
2,5	0,20	8,6	2,5	0,32	9,2	2,5	0,41	9,5	2,5	0,62	10,1
3,5	0,24	8,8	3,5	0,38	9,4	3,5	0,49	9,9	3,5	0,74	10,8
4,5	0,27	8,8	4,5	0,44	9,4	4,5	0,56	10,1	4,5	0,84	11,0

Type 5000 25°																							
Nr. 1,5			Nr. 2			Nr. 2,5			Nr. 3			Nr. 4			Nr. 5			Nr. 6			Nr. 8		
Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R
2,5	0,31	10,4	2,5	0,41	11,0	2,5	0,50	11,3	2,5	0,62	11,2	2,5	0,81	12,3	2,5	1,03	12,7	2,5	1,21	13,2	2,5	1,63	13,3
3,5	0,37	10,7	3,5	0,49	11,3	3,5	0,60	11,3	3,5	0,74	12,2	3,5	0,97	12,8	3,5	1,23	13,7	3,5	1,45	14,2	3,5	1,93	14,9
4,5	0,42	10,8	4,5	0,55	11,3	4,5	0,68	11,3	4,5	0,84	12,2	4,5	1,10	12,8	4,5	1,40	13,7	4,5	1,64	14,6	4,5	2,19	15,2

# PRODUCT INFORMATION

The 5000 series is an ideal pop-up rotor for large gardens and professional applications that demand high versatility and durability.

The 5000 series suits perfect with the 5000 Rain Courtain nozzles and 5000 MPR nozzles.

The 5000 series comes with many optional features such as the Plus (PL) Flow shutoff to reduce downtime on jobs by flushing rotors on the spot, PRS (R) pressure regulator to save water, SAM Seal-A-Matic check valve, Stainless Steel (SS) riser to prevent vandalism on public areas and a Purple cover (NP) for non-potable systems.

Pre-assembled with 3.0mm nozzle

**Last modified date: 05/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>