

# VDL Ball valve PVC-U 16 mm glue socket 16bar DN10 grey type EIL (7018359)



**VDL** Van de Lande

# TECHNICAL SPECIFICATIONS

|        |      |
|--------|------|
| Colour | grey |
|--------|------|

|      |     |
|------|-----|
| Type | EIL |
|------|-----|

|          |       |
|----------|-------|
| Material | PVC-U |
|----------|-------|

|           |       |
|-----------|-------|
| Operation | lever |
|-----------|-------|

|              |     |
|--------------|-----|
| Colour lever | red |
|--------------|-----|

|                 |       |
|-----------------|-------|
| Handle material | PVC-U |
|-----------------|-------|

|                      |        |
|----------------------|--------|
| Housing construction | 2-part |
|----------------------|--------|

|                  |       |
|------------------|-------|
| Material housing | PVC-U |
|------------------|-------|

|               |      |
|---------------|------|
| Material seal | EPDM |
|---------------|------|

|            |             |
|------------|-------------|
| Connection | glue socket |
|------------|-------------|

|                   |            |
|-------------------|------------|
| Temperature range | 0°C - 60°C |
|-------------------|------------|

|          |        |
|----------|--------|
| Pressure | 16 bar |
|----------|--------|

|      |       |
|------|-------|
| Size | 16 mm |
|------|-------|

|    |    |
|----|----|
| DN | 10 |
|----|----|

## DIMENSIONS

|    |       |
|----|-------|
| Lb | 77 mm |
|----|-------|


ØDi-1 16 mm

ØDi-2 16 mm

Ct-1 50 mm

R 82 mm

ØDf 15 mm



**Last modified date: 12/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>