

**Profec Water meter cast iron
DN150 DIN flange 16bar
150m³/h blue LXLC(R) type
Woltman horizontal (7021134)**



TECHNICAL SPECIFICATIONS

Colour	blue
Type	Woltman
Material	cast iron
Model	LXLC(R)
Material flange	cast iron
Material seal	rubber reinforced with nylon
Connection	DIN flange
Type	horizontal
Max. reading	999.999 m ³ /h
Temperature range	0°C - 40°C
Pressure	16 bar
Capacity	250 m ³ /h
Capacity Qmax	300 m ³ /h
Capacity Qn	150 m ³ /h
Size	DN150
Q1 ISO 4064 (2005)	5 m ³ /h
Q3 ISO 4064 (2005)	250 m ³ /h

Q4 ISO 4064 (2005)	500 m ³ /h
--------------------	-----------------------

Min. reading	0.002 m ³ /h
--------------	-------------------------

Length	300 mm
--------	--------

Diam.	6 "
-------	-----

PCD	240 mm
-----	--------

DIMENSIONS

H	319 mm
---	--------

Install. length	300
-----------------	-----

PCD	240 mm
-----	--------

Last modified date: 12/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>