

**Profec Nr. 130 T-piece 90°  
stainless steel 316 4" female  
thread 16bar (0080341)**



# TECHNICAL SPECIFICATIONS

|          |                     |
|----------|---------------------|
| Material | stainless steel 316 |
|----------|---------------------|

|            |               |
|------------|---------------|
| Connection | female thread |
|------------|---------------|

|             |         |
|-------------|---------|
| Fitting nr. | Nr. 130 |
|-------------|---------|

|          |        |
|----------|--------|
| Pressure | 16 bar |
|----------|--------|

|            |        |
|------------|--------|
| Max. temp. | 100 °C |
|------------|--------|

|      |    |
|------|----|
| Size | 4" |
|------|----|

## DIMENSIONS

|   |        |
|---|--------|
| L | 187 mm |
|---|--------|


|       |     |
|-------|-----|
| ØDi-1 | 4 " |
|-------|-----|

|       |     |
|-------|-----|
| ØDi-2 | 4 " |
|-------|-----|

|       |     |
|-------|-----|
| ØDi-3 | 4 " |
|-------|-----|

|      |          |
|------|----------|
| Cr-1 | 125.6 mm |
|------|----------|

|   |      |
|---|------|
| β | 90 ° |
|---|------|



**Last modified date: 23/10/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>