

**Profec Stub flange PVC-U 225
mm glue socket 10bar DN200
grey PN10 WRAS (0110913)**



TECHNICAL SPECIFICATIONS

Colour	grey
Material	PVC-U
Approval	WRAS
Material housing	PVC-U
Material seal	EPDM
Connection	glue socket
Size	225 mm
Packaging	6 pcs
DN	200
Flange	PN10
Outer ø	248 mm
Weight	1.803 kg
Thickness	25 mm
Pressure	10 bar
PCD	248 mm

DIMENSIONS

L	125 mm
---	--------

L	127 mm
---	--------

T	28 mm
---	-------

Lb	174 mm
----	--------

ØDi-1	315 mm
-------	--------

ØDi-2	225 mm
-------	--------

ØDo-1	342 mm
-------	--------

ØDo-2	248 mm
-------	--------

Db	274 mm
----	--------

PRODUCT INFORMATION

Next to the connection dimensions (Size and PCD) for the backing rings and stub flanges we show the inner-hole size of the backing flange and the pipe size from the stub flange.

For backing rings, the inner hole size is given in column Inner Ø

For stub flanges, the pipe size is given in column Outer Ø

Last modified date: 30/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>



bosta
bringing water to life