

**Unidelta Flange adaptor PP  
DN80 x 90 mm DIN flange x  
compression 16bar DN80  
black/blue DVGW/KIWA/WRAS  
(0703097)**



# TECHNICAL SPECIFICATIONS

|        |            |
|--------|------------|
| Colour | black/blue |
|--------|------------|

|          |    |
|----------|----|
| Material | PP |
|----------|----|

|          |                |
|----------|----------------|
| Approval | DVGW/KIWA/WRAS |
|----------|----------------|

|               |      |
|---------------|------|
| Material seal | EPDM |
|---------------|------|

|            |                          |
|------------|--------------------------|
| Connection | DIN flange x compression |
|------------|--------------------------|

|          |        |
|----------|--------|
| Pressure | 16 bar |
|----------|--------|

|           |       |
|-----------|-------|
| Bolt hole | 18 mm |
|-----------|-------|

|      |              |
|------|--------------|
| Size | DN80 x 90 mm |
|------|--------------|

|    |    |
|----|----|
| DN | 80 |
|----|----|

|            |     |
|------------|-----|
| Connection | 3 " |
|------------|-----|

|     |        |
|-----|--------|
| PCD | 160 mm |
|-----|--------|

|       |   |
|-------|---|
| Holes | 8 |
|-------|---|

**Last modified date: 05/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580

E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>