

# Ball valve PVC-U 16 mm glue socket 10bar DN10 grey type 2000 Teflon (0111905)



# TECHNICAL SPECIFICATIONS

|                      |             |
|----------------------|-------------|
| Colour               | grey        |
| Type                 | 2000 Teflon |
| Material             | PVC-U       |
| Operation            | lever       |
| Colour lever         | red         |
| Handle material      | PVC-U       |
| Housing construction | 3-part      |
| Material housing     | PVC-U       |
| Material seal        | PTFE/EPDM   |
| Connection           | glue socket |
| Max. temperature     | 60 °C       |
| Temperature range    | 0°C - 60°C  |
| Pressure             | 10 bar      |
| Size                 | 16 mm       |
| Length               | 84 mm       |
| DN                   | 10          |

# DIMENSIONS

Lb 84 mm


ØDi-1 16 mm

ØDi-2 16 mm

Ct-1 53.5 mm

R 63 mm

ØDf 10 mm



**Last modified date: 30/10/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds

Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>