

# Profec Nr. 280 Nipple stainless steel 316 3" male thread 16bar (0080350)



# TECHNICAL SPECIFICATIONS

|          |                     |
|----------|---------------------|
| Material | stainless steel 316 |
|----------|---------------------|

|            |             |
|------------|-------------|
| Connection | male thread |
|------------|-------------|

|             |         |
|-------------|---------|
| Fitting nr. | Nr. 280 |
|-------------|---------|

|          |        |
|----------|--------|
| Pressure | 16 bar |
|----------|--------|

|            |        |
|------------|--------|
| Max. temp. | 100 °C |
|------------|--------|

|      |    |
|------|----|
| Size | 3" |
|------|----|

## DIMENSIONS

|   |         |
|---|---------|
| L | 67.5 mm |
|---|---------|


|       |         |
|-------|---------|
| ØDi-1 | 78.5 mm |
|-------|---------|

|       |         |
|-------|---------|
| ØDi-2 | 78.5 mm |
|-------|---------|

|       |     |
|-------|-----|
| ØDo-1 | 3 " |
|-------|-----|

|       |     |
|-------|-----|
| ØDo-2 | 3 " |
|-------|-----|

|     |         |
|-----|---------|
| K-1 | 91.5 mm |
|-----|---------|



**Last modified date: 23/10/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>