

**Foras Centrifugal pump cast
iron DN65 x 65 mm x DN50 x 50
mm DIN flange 10bar 15,8A
400/690VAC blue type MN50
160 A (0920309)**



FORAS
WATER PUMPS

TECHNICAL SPECIFICATIONS

Colour blue

Material cast iron

Material impeller 1 cast iron

Connection DIN flange

Voltage 400/690VAC

Max. temperature 90 °C

Minimum medium temperature -10 °C
(continuous)

Maximum ambient temperature 40 °C

Minimum ambient temperature 0 °C

Type MN50 160 A

Output Power 10 HP

Size DN65 x 65 mm x DN50 x 50 mm

Seal type H

Length 590 mm

Width 270 mm

Weight 81 kg

Power 7.5 kW

MWC 36,7

Height 340 mm

Max flow rate 78 m³/h

BEP Capacity 60

BEP Head 30

Efficiency 56 %

Press 50

Suction 65

Packaging dimensions L/W/H 627 x 287 x 408 mm

DIMENSIONS

H 340 mm

L 590 mm

W-1 265 mm

ØDi-1 65 mm

ØDi-2 50 mm

O 14 mm

Cb-1 160 mm

Ct-1 180 mm




G-1 212 mm

Cl-1 100 mm

W-2 270 mm

Mc 70 mm

H 340 mm



- 920290
- 920293
- 920291
- 920301
- 920300
- 920304
- 920307
- 920309
- 920311
- 920314

PRODUCT INFORMATION

The pumps are supplied complete with counter flanges with female thread.
Mechanical seal.
Maximum water temperature 90°C.

Last modified date: 12/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA

T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>