

**Foras Submersible pump  
stainless steel 1 1/2" female  
thread 6,2A 230VAC grey type  
DS 100 G set-back Vortex with  
float switch (7006439)**



# TECHNICAL SPECIFICATIONS

Colour grey

Material stainless steel

Pump body stainless steel

Material impeller 1 stainless steel

Connection female thread

Type set-back Vortex

Voltage 230VAC

Max. temperature 40 °C

Minimum medium temperature 0 °C  
(continuous)

Press 2 "

Maximum ambient temperature 40 °C

Minimum ambient temperature 5 °C

Type DS 100 G

Max. head 9.8 m

Size 1 1/2"

Float included

Power	1.35 kW
-------	---------

Ampere	6,2 A
--------	-------

Max flow rate	18 m <sup>3</sup> /h
---------------	----------------------

## DIMENSIONS

H-1	395 mm
-----	--------

W-1	183 mm
-----	--------

## PRODUCT INFORMATION

2 pole induction motor with thermal protection. Max. Depth of immersion: 5m Includes 10m cable H07 RNF.

**Last modified date: 12/06/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>