

# Saci Pool pump fibreglass-reinforced PP 63 mm glue socket 4,2A 230VAC black type Winner 50M 0.5HP (7007680)





# TECHNICAL SPECIFICATIONS

Colour	black
Shaft	stainless steel 316
Pump body	fibreglass-reinforced PP
Material impeller 1	noryl
Material seal	stainless steel 316
Connection	glue socket
Max. temperature	40 °C
Width	220 mm
Height	325 mm
Frequency	50 Hz
Maximum ambient temperature	40 °C
IP value	IP55
Motor RPM	2900
Type	Winner 50M
Capacity	4 -12 m <sup>3</sup> /h
Output Power	0,5 HP
MWC	17,7 m

Size	63 mm
Length	550 mm
Voltage	230VAC
Weight	11.7 kg
Power	0.37 kW
Ampere	4,2 A
BEP Capacity	13.5
BEP Head	8
Packaging dimensions L/W/H	630 x 230 x 360 mm

## DIMENSIONS

A	550 mm
B	220 mm
C	325 mm



# PRODUCT INFORMATION

Self-priming pump for all sizes of domestic pools. The pump comes with a large pre-filter which, combined with excellent hydraulic performance, has a very large filter capacity. The transparent polycarbonate allows easy inspection of the filter pump due to its easy opening mechanism.

Features:

- Connection: 2" female thread
- Union connection: Glue socket 63mm
- Transparent polycarbonate lid
- Large filter
- Insulation: Class F
- Protection: IP55
- Mechanical Seals: Carbon/ceramic/stainless steel AISI 316
- Shaft: AISI 316
- Impeller: Noryl

**Last modified date: 08/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>