

**DAB Jet pump cast iron 1"  
female thread 8bar 3,8A  
230VAC green self priming  
type Gardenjet 82 M (7033378)**



# TECHNICAL SPECIFICATIONS

|                                                 |                |
|-------------------------------------------------|----------------|
| Colour                                          | green          |
| Material                                        | cast iron      |
| Pump body                                       | cast iron      |
| Material impeller 1                             | technopolymer  |
| Model                                           | self priming   |
| Connection                                      | female thread  |
| Voltage                                         | 230VAC         |
| Max. temperature                                | 35 °C          |
| Minimum medium temperature 0 °C<br>(continuous) |                |
| Press                                           | 1 "            |
| Maximum ambient temperature 40 °C               |                |
| Suction                                         | 1 "            |
| BEP Head                                        | 54             |
| Type                                            | Gardenjet 82 M |
| Size                                            | 1"             |
| Power                                           | 0.6 kW         |

|     |    |
|-----|----|
| MWC | 47 |
|-----|----|

|        |       |
|--------|-------|
| Ampere | 3,8 A |
|--------|-------|

|               |                       |
|---------------|-----------------------|
| Max flow rate | 3.6 m <sup>3</sup> /h |
|---------------|-----------------------|

## DIMENSIONS

|   |        |
|---|--------|
| H | 268 mm |
|---|--------|

|   |        |
|---|--------|
| W | 178 mm |
|---|--------|

|   |        |
|---|--------|
| L | 410 mm |
|---|--------|

|   |        |
|---|--------|
| L | 410 mm |
|---|--------|

|     |        |
|-----|--------|
| W-1 | 178 mm |
|-----|--------|

|       |     |
|-------|-----|
| ØDi-1 | 1 " |
|-------|-----|

|       |     |
|-------|-----|
| ØDi-2 | 1 " |
|-------|-----|

|   |      |
|---|------|
| O | 9 mm |
|---|------|



|      |        |
|------|--------|
| Cb-1 | 144 mm |
|------|--------|

|     |        |
|-----|--------|
| G-1 | 111 mm |
|-----|--------|

|      |        |
|------|--------|
| Cl-1 | 127 mm |
|------|--------|

|    |        |
|----|--------|
| Mr | 192 mm |
|----|--------|

|   |        |
|---|--------|
| H | 268 mm |
|---|--------|



## PRODUCT INFORMATION

Pump will be supplied with cable and DIN plug.

**Last modified date: 09/11/2025**

Bosta UK Ltd.  
 Reflection House  
 Olding Road  
 Bury St. Edmunds  
 Suffolk  
 IP33 3TA  
 T +44 (0) 1284 716580  
 E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>