

# Profec Ball valve brass nickel plated 3/4" female thread 25bar type 100 VA (0403033)



# TECHNICAL SPECIFICATIONS

|      |        |
|------|--------|
| Type | 100 VA |
|------|--------|

|          |       |
|----------|-------|
| Material | brass |
|----------|-------|

|                   |               |
|-------------------|---------------|
| Surface treatment | nickel plated |
|-------------------|---------------|

|           |       |
|-----------|-------|
| Operation | lever |
|-----------|-------|

|              |     |
|--------------|-----|
| Colour lever | red |
|--------------|-----|

|                 |                 |
|-----------------|-----------------|
| Handle material | stainless steel |
|-----------------|-----------------|

|               |                          |
|---------------|--------------------------|
| Ball material | hard chrome plated brass |
|---------------|--------------------------|

|                  |       |
|------------------|-------|
| Material housing | brass |
|------------------|-------|

|               |      |
|---------------|------|
| Material seal | PTFE |
|---------------|------|

|            |               |
|------------|---------------|
| Connection | female thread |
|------------|---------------|

|                   |               |
|-------------------|---------------|
| Temperature range | -20°C - 120°C |
|-------------------|---------------|

|          |        |
|----------|--------|
| Pressure | 25 bar |
|----------|--------|

|      |      |
|------|------|
| Size | 3/4" |
|------|------|

## DIMENSIONS

|      |         |
|------|---------|
| Ct-1 | 48.6 mm |
|------|---------|

|     |       |
|-----|-------|
| F-1 | 12 mm |
|-----|-------|

|     |       |
|-----|-------|
| F-2 | 12 mm |
|-----|-------|


|    |       |
|----|-------|
| Lb | 54 mm |
|----|-------|

|   |         |
|---|---------|
| R | 98.5 mm |
|---|---------|

|     |       |
|-----|-------|
| ØDf | 19 mm |
|-----|-------|

|       |       |
|-------|-------|
| ØDi-1 | 3/4 " |
|-------|-------|

|       |       |
|-------|-------|
| ØDi-2 | 3/4 " |
|-------|-------|



**Last modified date: 04/09/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>