

**Ebara Centrifugal pump
stainless steel 304 1 1/2" x 1"
female thread 8bar 6,1A
230VAC blue type
CDXM200/12 (0930207)**



TECHNICAL SPECIFICATIONS

Colour blue

Material stainless steel 304

Material impeller 1 stainless steel 304

Connection female thread

Seal type P

Voltage 230VAC

Max. temperature 90 °C

Minimum medium temperature -5 °C
(continuous)

Press 1 "

Type CDXM200/12

Output Power 1,2 HP

Max. head 22,8 m

Size 1 1/2" x 1"

Length 321 mm

Width 208 mm

Weight 11.4 kg


Power 0.9 kW

Height 229.5 mm

Max flow rate 15 m³/h

Suction 1 1/2 "

Packaging dimensions L/W/H 452 x 244 x 308 mm



PRODUCT INFORMATION

Applications:

Domestic: booster systems, garden irrigation, water supply systems

Industry: cooling towers, heat exchangers, cleaning systems

Agriculture / horticulture

Irrigation

Technical characteristics:

The pump body is pressed with the plasma-press system from S/S 304.

The pump fan, with upright welded blades, is produced from S/S 304.

Motor casing is aluminium.

Last modified date: 12/06/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>