

**Pentair Pool filter set PE 50 mm  
glue socket 2bar 4,2A 230VAC  
black type FS-19A6-FF15R  
(7015888)**



# TECHNICAL SPECIFICATIONS



|                |                     |
|----------------|---------------------|
| Colour         | black               |
| Material       | PE                  |
| Connection     | glue socket         |
| Voltage        | 230VAC              |
| Frequency      | 50 Hz               |
| Pressure       | 2 bar               |
| IP value       | IP44                |
| Max. temp.     | 35 °C               |
| Type           | FS-19A6-FF15R       |
| Size           | 50 mm               |
| Diameter       | 475 mm              |
| Weight         | 18 kg               |
| Sand           | 65 kg               |
| Ampere         | 4,2 A               |
| Max flow rate  | 9 m <sup>3</sup> /h |
| Pump           | FreeFlo FF15R       |
| Max. pool vol. | 45 m <sup>3</sup>   |

# DIMENSIONS

B 19 " inch

A 760 mm

B 900 mm



## PRODUCT INFORMATION

Strong and durable thermoplastic tank with 6-way valve and FreeFlo centrifugal pump. The pump has a large pre-filter for a longer service interval. Complete set mounted on a solid base.

**Last modified date: 06/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>