

**DAB Jet pump cast iron 1"
female thread 6bar 5,1A
230VAC green self-priming
with press control type JET 102
Control D (7030929)**



TECHNICAL SPECIFICATIONS

Colour	green
--------	-------

Material	cast iron
----------	-----------

Pump body	cast iron
-----------	-----------

Material impeller 1	technopolymer A
---------------------	-----------------

Model	self-priming with press control
-------	---------------------------------

Connection	female thread
------------	---------------

Voltage	230VAC
---------	--------

Max. temperature	35 °C
------------------	-------

Minimum medium temperature 0 °C (continuous)	
---	--

Press	1 "
-------	-----

Maximum ambient temperature 40 °C	
-----------------------------------	--

Suction	1 "
---------	-----

Type	JET 102 Control D
------	-------------------

Size	1"
------	----

Power	0.75 kW
-------	---------

MWC	53,8
-----	------

Ampere	5,1 A
Max flow rate	3.6 m ³ /h
BEP Capacity	2.4
BEP Head	31.8
PORlh	36.5
PORhh	29
PORlq	1.7
PORhq	2.9

DIMENSIONS



L	414 mm
H	203 mm
W	178 mm
L	430 mm
W-1	178 mm
ØDi-1	1 "
ØDi-2	1 "
O	9 mm
Cb-1	144 mm

G-1 111 mm

Cl-1 108 mm

Mr 197 mm

H 203 mm



PRODUCT INFORMATION

Installation: Horizontal, Fixed. Operating range: from 0.4 to 3.6 m³/h with head up to 53 metres. Suitable for pumping water with low levels of sand impurities. Self priming centrifugal pumps with excellent suction capacity even when air bubbles are present.

Last modified date: 08/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>