

Tefen Dosing pump 3/4" x 8 mm x 3/4" male thread x hose tail x male thread type MixRite TF1 Fixed (7027314)



 **TEFEN**
FLOW & DOSING TECHNOLOGIES

TECHNICAL SPECIFICATIONS

Type	MixRite TF1 Fixed
Material seal	NBR
Connection	male thread x hose tail x male thread
Flow range	20 - 1000 ltr/h
Size	3/4" x 8 mm x 3/4"
Adjustable mixture	0,2%
Rec. press.	0.2 - 8.0 bar

PRODUCT INFORMATION

Every unit comes with a suction tube, mounting bracket, a multi-language manual (RUS, DE, ES, FR, ITA, EN, PT) and a seal kit (containing an upper piston seal, lower piston seal, suction seal and a small quantity of grease).

The suction tube length is 1.5m long and 8mm diameter.

This landscape model comes with NBR seals which are not be used with fertiliser solutions or acids.

For a complete overview and more information on the chemical compatibility table, please consult with us in order to select the right model for your application.

Last modified date: 06/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds

Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>