

**DAB Pressure set PP 1" female
thread 7,5bar 4,8A 230VAC
green type ESYBOX Mini 3
(7043397)**



TECHNICAL SPECIFICATIONS

Colour	green
Material	PP
Pump body	PP
Material (spring)	stainless steel 303
Material impeller 1	noryl
Connection	female thread
Voltage	230VAC
Max. temperature	40 °C
Minimum medium temperature 0 °C (continuous)	
Maximum ambient temperature 50 °C	
Pressure	7,5 bar
Type	ESYBOX Mini 3
Tank	1 ltr
Size	1"
Power	0.85 kW
Impellers	3

MWC	55
-----	----

Ampere	4,8 A
--------	-------

Max flow rate	4.8 m ³ /h
---------------	-----------------------

BEP Capacity	39.7
--------------	------



BEP Head	2.61
----------	------

PORlh	52.8
-------	------

PORhh	35.3
-------	------

PORlq	1.827
-------	-------

PORhq	3.132
-------	-------



PRODUCT INFORMATION

This Esysbox Mini 3 pressure booster is specifically designed for use in drinking water installations and features a built-in safety device that automatically stops the pump when the pressure drops below 0.5 bar. Includes a self-priming multi-stage pump, management inverter electronics, pressure and flow sensors, adjustable high resolution LCD display with 1 litre built-in expansion vessel, and cartridge check valve. Suitable for use with potable water, in domestic systems and gardening applications. Pressure Set Point adjustable from 1 up to 5.5 bar. Max. Suction Depth: 8 metres. Installation: Horizontal or vertical fixed position

Last modified date: 08/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>