

Waterco Commercial sand filter fibreglass 6"/160mm flange 4bar grey type SPDD2500 (7038387)



WATERCO
EUROPE LTD
Water, the liquid of life

TECHNICAL SPECIFICATIONS

Colour	grey
--------	------

Material	fibreglass
----------	------------

Connection	flange
------------	--------

Pressure	4 bar
----------	-------

Max. temp.	40 °C
------------	-------

Type	SPDD2500
------	----------

Capacity	147 m ³ /h
----------	-----------------------

Size	6"/160mm
------	----------

Sand	8600 kg
------	---------


Filter area	4.91 m ²
-------------	---------------------

Max. pool vol.	800 m ³
----------------	--------------------

DIMENSIONS

B	2575 mm
---	---------

C	2510 mm
---	---------



PRODUCT INFORMATION

Micron SPDD filters are fitted with a plate and nozzle system, which ensures uniform flow for both filtering and backwashing, ensuring maximum performance through the media bed. The nozzle plate system also allows the introduction of pressurised air directly into the bottom of the filter media. Uniform introduction of air and water through the nozzle plate provides vigorous agitation and filter media bed expansion required for an effective air/water backwash leading to reduced backwashing times and reduced volumes of water. Save up to 25% of backwash water.

Features:

- 1.2m bed depth
- Ultra smooth bobbin finish
- Flanged connections
- Nozzle plate system

Last modified date: 09/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>