


**Foras Centrifugal pump cast
iron DN65 x 65 mm x DN40 x 40
mm DIN flange 10bar 24,2A
400/690VAC blue type MN40
250 B (0920307)**



TECHNICAL SPECIFICATIONS

Colour	blue
--------	------

Material	cast iron
----------	-----------

Material impeller 1	cast iron
---------------------	-----------

Connection	DIN flange
------------	------------

Voltage	400/690VAC
---------	------------

Max. temperature	90 °C
------------------	-------

Minimum medium temperature (continuous)	-10 °C
---	--------

Maximum ambient temperature	40 °C
-----------------------------	-------

Minimum ambient temperature	0 °C
-----------------------------	------

Type	MN40 250 B
------	------------

Output Power	15 HP
--------------	-------

Size	DN65 x 65 mm x DN40 x 40 mm
------	-----------------------------

Seal	type H
------	--------

Length	630 mm
--------	--------

Width	322 mm
-------	--------

Weight	105 kg
--------	--------

Power	11 kW
MWC	75,5
Height	405 mm
Max flow rate	42 m ³ /h
BEP Capacity	31
BEP Head	65
Efficiency	48 %
Press	40
Suction	65
Packaging dimensions L/W/H	666 x 346 x 471 mm

DIMENSIONS

H	405 mm
L	630 mm
W-1	320 mm
ØDi-1	65 mm
ØDi-2	40 mm
O	14 mm
Cb-1	180 mm

Ct-1 225 mm




G-1 250 mm

Cl-1 100 mm

W-2 322 mm

Mc 95 mm

H 405 mm



PRODUCT INFORMATION

The pumps are supplied complete with counter flanges with female thread.
Mechanical seal.
Maximum water temperature 90°C.

Last modified date: 12/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA

T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>