

Pentair Pool pump 63/75 mm glue socket 11,2A 230VAC black type IntelliFlo3® (7035821)



TECHNICAL SPECIFICATIONS

Colour	black
--------	-------

Type	IntelliFlo3®
------	--------------

Connection	glue socket
------------	-------------

Voltage	230VAC
---------	--------

Width	297 mm
-------	--------

Frequency	50 Hz
-----------	-------

Maximum ambient temperature	50 °C
-----------------------------	-------

Minimum ambient temperature	0 °C
-----------------------------	------

IP value	IPX5
----------	------

Packaging dimensions L/W/H	770 x 390 x 465 mm
----------------------------	--------------------

Capacity	38 m ³ /h
----------	----------------------

Output Power	3 HP
--------------	------

Size	63/75 mm
------	----------

Length	660 mm
--------	--------

Weight	25 kg
--------	-------

Power	2.2 kW
-------	--------

Height	355 mm
--------	--------

Ampere

11,2 A



Motor RPM

450 - 3450

DIMENSIONS

A

660 mm




PRODUCT INFORMATION

The IntelliFlo3 VSF Pool Pump leverages built-in sensor less flow control for optimum water flow adjusted to the pool's conditions, keeping the pool performing at its best. Set up, monitor and operate the pump from anywhere with wireless technology control through the Pentair Home App.

Features:

- Permanent magnet motor design, made in Italy
- 4g/l salt resistant
- Unions included: 50 and 63mm (1.5HP), 63 and 75 mm (3HP model)
- Intelliprotocol communication (RS485) compatible with Intellipool (Fw 5.07) and Speedeo Connect



Last modified date: 09/11/2025

Bosta UK Ltd.
Reflection House
Olding Road

Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>