

**Profec Nr. 280 Nipple cast iron  
black 3/4" male thread 25bar  
DVGW (1128005)**



# TECHNICAL SPECIFICATIONS

|          |                 |
|----------|-----------------|
| Material | cast iron black |
|----------|-----------------|

|          |      |
|----------|------|
| Approval | DVGW |
|----------|------|

|            |             |
|------------|-------------|
| Connection | male thread |
|------------|-------------|

|             |         |
|-------------|---------|
| Fitting nr. | Nr. 280 |
|-------------|---------|

|                   |               |
|-------------------|---------------|
| Temperature range | -20°C - 120°C |
|-------------------|---------------|

|          |        |
|----------|--------|
| Pressure | 25 bar |
|----------|--------|

|      |      |
|------|------|
| Size | 3/4" |
|------|------|

## DIMENSIONS

|   |       |
|---|-------|
| L | 47 mm |
|---|-------|


|       |       |
|-------|-------|
| ØDo-1 | 3/4 " |
|-------|-------|

|       |       |
|-------|-------|
| ØDo-2 | 3/4 " |
|-------|-------|

|     |       |
|-----|-------|
| F-1 | 17 mm |
|-----|-------|

|     |       |
|-----|-------|
| F-2 | 17 mm |
|-----|-------|

|     |       |
|-----|-------|
| K-1 | 29 mm |
|-----|-------|



**Last modified date: 05/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>