


**Foras Centrifugal pump cast
iron DN50 x 50 mm x DN32 x 32
mm DIN flange 10bar 8.9A
230/400VAC blue type MN32
200 C (0920291)**



TECHNICAL SPECIFICATIONS

Colour	blue
--------	------

Material	Cast iron
----------	-----------

Material impeller 1	Cast iron
---------------------	-----------

Connection	DIN flange
------------	------------

Max. temperature	90 °C
------------------	-------

Minimum medium temperature -10 °C
(continuous)

Maximum ambient temperature	40 °C
-----------------------------	-------

Minimum ambient temperature	0 °C
-----------------------------	------

Type	MN32 200 C
------	------------

Output Power	5.5 HP
--------------	--------

Max. head	40.2 m
-----------	--------

Size	DN50 x 50 mm x DN32 x 32 mm
------	-----------------------------

Seal	type H
------	--------

Length	565 mm
--------	--------

Voltage	230/400VAC
---------	------------

Width	268 mm
-------	--------

Weight	65.5 kg
Power	4 kW
Height	340 mm
Max flow rate	27 m ³ /h
BEP Capacity	22
BEP Head	32
Efficiency	53 %
Press	32
Suction	50
Packaging dimensions L/W/H	602 x 263 x 395 mm

DIMENSIONS

Cb-1	160 mm
Cl-1	80 mm
Ct-1	180 mm
G-1	190 mm
H	340 mm
H	340 mm
L	565 mm

Mc 70 mm




O 14 mm

W-1 240 mm

W-2 268 mm

ØDi-1 50 mm

ØDi-2 32 mm



PRODUCT INFORMATION

The pumps are supplied complete with counter flanges with female thread.

Mechanical seal.

Maximum water temperature 90°C.

Last modified date: 05/09/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds

Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>