

Profec Ultrasonic water meter stainless steel 304 DN80 DIN flange 16bar 230VAC grey CE/MID type Class 2 (7038811)



TECHNICAL SPECIFICATIONS

Colour	grey
Type	Class 2
Material	stainless steel 304
Approval	CE/MID
Material flange	ductile iron
Connection	DIN flange
Max. reading	99999999.99999 m ³ /h
Min. temp.	0.1 °C
Voltage	230VAC
Pressure	16 bar
IP value	IP68
Max. temp.	50 °C
Size	DN80
Q1 ISO 4064 (2005)	0.1575 m ³ /h
Q3 ISO 4064 (2005)	63 m ³ /h
Q4 ISO 4064 (2005)	78.25 m ³ /h
Length	225 mm

Width

205 mm

DIMENSIONS

H

280 mm

Install. length

225

PRODUCT INFORMATION

Ultrasonic water meter with 10 year lifetime battery, IP68 Class 2, PN16 and CE/MID approval and M-bus output.

Last modified date: 09/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>