

# Submersible borehole pump 1" female thread 11A 230/400VAC type SKM 200 with control box - oil cooling (7031118)



# TECHNICAL SPECIFICATIONS

Pump body stainless steel 304

Material impeller 1 brass

Connection female thread

Type with control box - oil cooling

Max. temperature 35 °C

Outer ø 98 mm

Press 1 "

Maximum ambient temperature 35 °C

IP value IP68

Type SKM 200

Output Power 2 HP

MWC 140 m

Size 1"

Voltage 230/400VAC

Weight 17 kg

Power 1.5 kW

Impellers 3

Height 540 mm

Ampere 11 A

Max flow rate 3 m<sup>3</sup>/h

BEP Capacity 2.1

BEP Head 35

PORlh 66

PORhh 16

PORlq 1.47



PORhq 2.52

## DIMENSIONS

Db 98 mm

H-1 540 mm

ØDi-1 1 "



# PRODUCT INFORMATION

Submersible borehole pump kit with built-in capacitor. Includes control box. With 20 metres cable, DIN plug and control box. UK / DIN plug included for UK deliveries

**Last modified date: 08/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>