

**Foras Jet pump cast iron 1 1/2"  
x 1" female thread 8bar 3,9A  
230/400VAC blue self priming  
type JA 200 T (7034798)**



# TECHNICAL SPECIFICATIONS

Colour	blue
Material	cast iron
Pump body	cast iron
Material impeller 1	noryl
Model	self priming
Connection	female thread
Seal	type B
Max. temperature	50 °C
Press	1 "
Suction	1 1/2 "
Type	JA 200 T
Max. head	62,5 m
Size	1 1/2" x 1"
Voltage	230/400VAC
Minimum medium temperature (continuous)	0 °C
Power	1.5 kW

Ampere 3,9 A

Max flow rate 6.6 m<sup>3</sup>/h

Maximum ambient temperature 40 °C

BEP Capacity 5.5

BEP Head 42

PORlh 35

PORhh 51

PORlq 3.78

PORhq 6.48

Minimum ambient temperature 0 °C

Seal 69 mm

## DIMENSIONS

Cb-1 112 mm

Cb-2 240 mm

Cr-1 257 mm

Ct-1 128 mm

H 240 mm

L 596 mm

LB	309 mm
----	--------

LM	287 mm
----	--------

MW	177 mm
----	--------

W	220 mm
---	--------

## PRODUCT INFORMATION

### Specifications:

Jet type self-priming electric pumps for suction up to 7-8 metres deep.

Motor sealed auto-ventilated.

Max. pressure: 6 bar

Water temperature: max. 40°C

These pumps are ready for installation by a qualified electrician.

**Last modified date: 12/06/2026**

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)

<http://www.bosta.com>