

**Profec Ultrasonic water meter
cast iron DN65 DIN flange
16bar 40m³/h blue MID type
Class 2 (7021147)**



TECHNICAL SPECIFICATIONS

Colour	blue
Type	Class 2
Material	cast iron
Approval	MID
Connection	DIN flange
Pressure	16 bar
IP value	IP68
Capacity	25 m ³ /h
Capacity Qmax	50 m ³ /h
Capacity Qn	40 m ³ /h
Size	DN65
Q1 ISO 4064 (2005)	0.16 m ³ /h
Q3 ISO 4064 (2005)	40 m ³ /h
Q4 ISO 4064 (2005)	50 m ³ /h
Max. reading	9999999.99999 m ³ /h
Length	200 mm
Diam.	2 1/2 "

PCD

145 mm

DIMENSIONS

H	250 mm
---	--------

Install. length	200
-----------------	-----

PCD	145 mm
-----	--------

PRODUCT INFORMATION

Ultrasonic measurement without moving parts, guaranteeing a long life operation without wear and tear. Ultrasonic measurements allows this water meter to be installed in any position. Highly accurate at low flow rates. For liquids from 4 – 60°C
2 way measurement.

Last modified date: 06/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>