

# Backing flange steel galvanised 6" type MZ square (0200635)



# TECHNICAL SPECIFICATIONS

|      |           |
|------|-----------|
| Type | MZ square |
|------|-----------|

|          |       |
|----------|-------|
| Material | steel |
|----------|-------|

|                   |            |
|-------------------|------------|
| Surface treatment | galvanised |
|-------------------|------------|

|           |       |
|-----------|-------|
| Bolt hole | 13 mm |
|-----------|-------|

|       |   |
|-------|---|
| Holes | 4 |
|-------|---|

|      |    |
|------|----|
| Size | 6" |
|------|----|

|         |        |
|---------|--------|
| Inner ø | 162 mm |
|---------|--------|

|           |      |
|-----------|------|
| Thickness | 8 mm |
|-----------|------|

|                        |           |
|------------------------|-----------|
| Outer dimension flange | 180 x 180 |
|------------------------|-----------|

## DIMENSIONS

|     |        |
|-----|--------|
| G-2 | 150 mm |
|-----|--------|

|              |              |
|--------------|--------------|
| Hole spacing | 150 x 150 mm |
|--------------|--------------|

|   |      |
|---|------|
| T | 8 mm |
|---|------|

|    |        |
|----|--------|
| Lb | 180 mm |
|----|--------|

|       |        |
|-------|--------|
| ØDi-1 | 162 mm |
|-------|--------|


|   |       |
|---|-------|
| O | 13 mm |
|---|-------|

G-1

150 mm

Lb-2

180 mm



## PRODUCT INFORMATION

Elevate your industrial processes with this Backing Flange Type MZ Square. Precision-engineered for seamless integration, it guarantees leak-free connections, reducing downtime and costs. Versatile compatibility meets rigorous testing, ensuring dependable performance even in challenging environments. Minimize disruptions, enhance efficiency, and cut maintenance expenses. Trusted by industry leaders, this flange optimizes performance across applications.

**Last modified date: 05/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)

