

Tefen Dosing pump 2" x 10 mm x 2" male thread x hose tail x male thread type MixRite TF 25 0.3% - 2.5% (7024298)



 **TEFEN**
FLOW & DOSING TECHNOLOGIES

 **bosta**
bringing water to life

TECHNICAL SPECIFICATIONS

Type MixRite TF 25

Material seal NBR


Connection male thread x hose tail x male thread

Flow range 2000 - 25000 ltr/h

Size 2" x 10 mm x 2"


Adjustable mixture 0,3 - 2,5%

Rec. press. 1.0 - 8.0 bar




L (Height)	
On/Off	Air Release
Max. 1030 (40.5")	1000 (39.3")
Min. 880 (34.6")	900 (35.4")

Pressure Loss



Max. injection rate/h



PRODUCT INFORMATION

Comes with a suction tube, mounting bracket, 4 support legs, a seal kit.

The suction tube length is 2.5m long.

Use with fertilizer solutions and not with acids.

Refer to our chemical compatibility table in order to select the right model for your application.

Last modified date: 06/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>