

**Break tank 3/4" x 1" male
thread 230VAC BELGAQUA
type Minisub & Presflo multi
(7023559)**



TECHNICAL SPECIFICATIONS

Type	Minisub & Presflo multi
------	-------------------------

Approval	BELGAQUA
----------	----------

Tank	57 ltr
------	--------

Connection	male thread
------------	-------------

Maximum flow	115 ltr/min
--------------	-------------

Voltage	230VAC
---------	--------

Pump	Lelli Minisub
------	---------------

Max working pressure	4,6 bar
----------------------	---------

Capacity Pressure	3 m ³ /h @ 3 bar
-------------------	-----------------------------

Control Unit Pump	Presflo Multi
-------------------	---------------

Variable Speed	No
----------------	----

Size	3/4" x 1"
------	-----------

PRODUCT INFORMATION

Medium size break tank, suitable for floor installation.

Flow rate 3 m³/h at 2,7 bar.

On/Off system.

provided with a silent Presflo multi impellor submersible pump.

Material tank: PE.

Last modified date: 06/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>